




Kohli Aluminium



WINDOW SLIDING SECTION


27mm SERIES

2 TRACK




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-2701	0.959	0.810-1.100

3 TRACK




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-2702	1.458	1.240-1.670

D. G. HANDLE




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-2703	0.813	0.715-0.910


S. G. HANDLE



Section No.	Weight Kg/M	Wt. Range Kg/M
KA-2704	0.906	0.800-1.010




INTERLOCK




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-2705	0.355	0.310-0.400

ZALI HANDLE




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-2706	0.790	0.680-0.900

ZALI CLIP



Section No.	Weight Kg/M	Wt. Range Kg/M
KA-2707	0.134	0.120-0.150

ADD ON




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-2708	0.418	0.120-0.170



WINDOW SLIDING SECTION


29mm SERIES

2 TRACK




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-2901	1.576	1.410-1.730


RAIL TRACK



Section No.	Weight Kg/M	Wt. Range Kg/M
KA-2902	0.167	0.150-0.190




3 TRACK




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-2903	2.136	1.900-2.370

D. G. HANDLE




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-2904	0.799	0.700-0.900

INTERLOCK




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-2905	0.368	0.325-0.410

ZALI HANDLE




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-2906	0.978	0.860-1.100




ASSEMBLY

ZALI CLIP




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-2907	0.134	0.120-0.150

S. G. HANDLE




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-2908	0.907	0.795-1.020



ASSEMBLY

3 TRACK WITHOUT LEG




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-2909	0.526	0.460-0.590



WINDOW SLIDING SECTION


37mm SERIES

2 TRACK




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-3701	1.985	1.785-2.190

3 TRACK





Section No.	Weight Kg/M	Wt. Range Kg/M
KA-3702	2.963	2.660-3.260

3 TRACK WITH CAP




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-3703	0.317	3.025-3.600

3 TRACK




ASSEMBLY

RAIL TRACK




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-3704	0.190	0.170-0.210

ZALI HANDLE




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-3705	1.587	1.430-1.750

ZALI CLIP




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-3706	0.134	0.120-0.150

S. G. HANDLE




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-3707	1.466	1.310-1.620

D. G. HANDLE




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-3708	1.329	1.190-1.470

INTERLOCK



Section No.	Weight Kg/M	Wt. Range Kg/M
KA-3709	0.634	0.550-0.715




ASSEMBLY




CASEMENT WINDOW SECTION

40mm SERIES

OUTER




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-4001	0.561	0.560-0.590




ASSEMBLY

S. G. CLIP




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-4002	0.189	0.190-0.200

MULLION




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-4003	0.762	0.660-0.860




ASSEMBLY

BIG OUTER




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-4004	0.881	0.850-0.940

D. G. CLIP




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-4005	0.162	0.135-0.190




ASSEMBLY

DOOR Z



Section No.	Weight Kg/M	Wt. Range Kg/M
KA-4006	0.860	0.750-0.970

BIG MULLION




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-4007	0.850	0.740-0.960




CASEMENT WINDOW SECTION

50mm SERIES

OUTER




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-5001	1.033	0.940-1.130




ASSEMBLY

S. G. CLIP




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-5002	0.303	0.260-0.350

MULLION




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-5003	1.218	1.120-1.350




ASSEMBLY

D. G. CLIP




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-5004	0.234	0.200-0.270

WINDOW MULLION




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-5005	1.114	0.970-1.255




ASSEMBLY

WINDOW Z




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-5006	0.993	0.875-1.110

FLYING MULLION




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-5007	0.667	0.590-0.750

BOTTOM



Section No.	Weight Kg/M
KA-5008	1.552

BIG OUTER




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-5009	1.050	0.930-1.170


CASEMENT WINDOW SECTION

50mm SERIES


BIG DOOR MULLION



Section No.	Weight Kg/M	Wt. Range Kg/M
KA-5008	1.428	1.265-1.595




BIG DOOR Z




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-5009	1.428	1.265-1.595

ADOPTER



Section No.	Weight Kg/M	Wt. Range Kg/M
KA-5010	0.584	0.520-0.650




SLIM STRUCTURAL PROFILES


DESIGN & BUILD

KA

Kohli Aluminium




Section No.	Cut Length	Description
SL-001	3000MM	SLIM GLAZE FIX 25*45



Section No.	Cut Length	Description
SL-002	3000MM	SLIM GLAZE FOLDING BLOCK



Section No.	Cut Length	Description
SL-003	3000MM	SLIM GLAZE FOLDING CLIP



Section No.	Cut Length	Description
SL-004	3000MM	SLIM GLAZE BLOCK




Section No.	Cut Length	Description
SL-005	3000MM	FOR 10MM GLASS




Section No.	Cut Length	Description
SL-006	3000MM	FOR 12MM GLASS



Section No.	Cut Length	Description
SL-007	3000MM	COVER SUITABLE FOR FOUR WAY



Section No.	Cut Length	Description
SL-008	3000MM	GLASS PARTITION SLIM GLAZE FIX




Section No.	Cut Length	Description
SL-009	3000MM	GLASS PARTITION SLIM GLAZE MALE



Section No.	Cut Length	Description
SL-010	3000MM	GLASS PARTITION SLIM GLAZE FEMALE



Section No.	Cut Length	Description
SL-011	3000MM	DOOR FRAME COVER




Section No.	Cut Length	Description
SL-012	3000MM	DATA PATTI

SLIM STRUCTURAL PROFILES

DESIGN & BUILD




Section No.	Cut Length	Description
SL-013	3000MM	DOOR FRAME STYLE DOOR FEMALE




Section No.	Cut Length	Description
SL-014	3000MM	DOOR FRAME STYLE DOOR MALE




Section No.	Cut Length	Description
SL-015	3000MM	DOOR FRAME STYLE DOOR




Section No.	Cut Length	Description
SL-016	3000MM	SLIM GLAZE GRID FOR DOOR




Section No.	Cut Length	Description
SL-017	3000MM	SLIM GLAZE FOUR WAY




Section No.	Cut Length	Description
SL-018	3000MM	VERTICAL 42 * 10




Section No.	Cut Length	Description
SL-019	3600MM	TOP & BOTTOM 42 * 32



Section No.	Cut Length	Description
SL-020	4800MM	SYNCHRO TRACK




Section No.	Cut Length	Description
SL-021	4800MM	COVER FOR SYNCHRO TRACK



Section No.	Cut Length	Description
SL-022	4800MM	TELESCOPIC TRACK



Section No.	Cut Length	Description
SL-023	4800MM	COVER FOR TELESOPIC TRACK




Section No.	Cut Length	Description
SL-024	3000MM	VERTICAL 45 * 16

SLIM SLIDING FRAMED SERIES


DESIGN & BUILD

KA


Kohli Aluminium




Section No.	Cut Length	Description
SL-025	3600MM	TOP & BOTTOM 45 * 30




Section No.	Cut Length	Description
SL-026	3600MM	DIVIDER FOR FOR 45 * 16



Section No.	Cut Length	Description
SL-027	3000MM	VERTICAL 32 * 17



Section No.	Cut Length	Description
SL-028	3600MM	TOP & BOTTOM 32 * 30



Section No.	Cut Length	Description
SL-029	3000MM	GRID FOR 15 * 10



Section No.	Cut Length	Description
SL-030	3600MM	GRID FOR 20 * 10



Section No.	Cut Length	Description
SL-031	3600MM	GRID FOR 15 * 15


SLIM SLIDING FRAMED SERIES

DESIGN & BUILD


KA

Kohli Aluminium


25 MM THK. SERIES



Section No.	Size
25.02	2600 3600




Section No.	Size
25.08	2600 3600




Section No.	Size
25.06	2600 3600

INTEGRATED PAITAM




Section No.	Size
D45.04	


STILE DOOR SECTIONS



Section No.	Size
D45.01	2600 3600




Section No.	Size
D45.02	2600 3600




Section No.	Size
D45.03	2600 3600

DOOR JAMB




Section No.	Size
DJ 100/ 75.03	2600 3600


45 MM THK. SERIES




Section No.	Size
45.02	2600 3600



Section No.	Size
45.08	2600 3600




Section No.	Size
45.06	2600 3600




Section No.	Size
45.07	2600 3600


75 MM THK. SERIES




Section No.	Size
75.02	2600 3600



Section No.	Size
75.08	2600 3600



Section No.	Size
75.06	2600 3600



Section No.	Size
75.07	2600 3600


SLIM SLIDING FRAMED SERIES

DESIGN & BUILD


KA

Kohli Aluminium


100 MM THK. SERIES




Section No.	Size
100.02	2600 3600



Section No.	Size
100.08	2600 3600



Section No.	Size
100.06	2600 3600




Section No.	Size
100.07	2600 3600




RAILING SECTION


TOP




Section No.	Weight Range
KA-6001	0.546 MTR




Section No.	Weight Range
KA-6002	0.918 MTR




Section No.	Weight Range
KA-6003	1.250MTR




Section No.	Weight Range
KA-6004	1.309 (KG/M)



Section No.	Weight Range
KA-6005	4.200-4.500/12'




Section No.	Weight Range
KA-6006	4.180-4.580/12'




Section No.	Weight Range
KA-6007	2.200-2.450/12'


RAILING SECTION BOTTOM




Section No.	Weight Range
KA-7001	2.620 (KG/M)




Section No.	Weight Range
KA-7002	0.285 (KG/M)




Section No.	Weight Range
KA-7003	2.549 (KG/M)




Section No.	Weight Range
KA-7004	2.000-2.300/12'



Section No.	Weight Range
KA-7005	1.100-1.350/12'




Section No.	Weight Range
KA-7006	5.127MTR




Section No.	Weight Range
KA-7007	3.548 KG




Section No.	Weight Range
KA-7008	1.774 KG




Section No.	Weight Range
KA-7009	0.744 KG



Section No.	Weight Range
KA-7010	7.030-7.250/12'




Section No.	Weight Range
KA-7011	19.240-19.540/12'




Section No.	Weight Range
KA-7012	1.868 KG


RAILING SECTION BOTTOM




Section No.	Weight Range
KA-7013	20.680-21.150/12'



Section No.	Weight Range
KA-7014	12.500-12.980/12'




Section No.	Weight Range
KA-7015	2.130 TO 2.310 /12'




Section No.	KG / MTR
KA-7016	5.21/1MTR

GATE PROFILES


DESIGN & BUILD




Section No.	KG/FT
KA-8001	3.4 / 12'



Section No.	KG/FT
KA-8002	3.8 / 12'




Section No.	KG/FT
KA-8003	2.840 / 12'




Section No.	KG/FT
KA-8004	2.510-2.700 / 12'




Section No.	KG / FT
KA-8005	3.0 / 12'



Section No.	KG / FT
KA-8006	3.6 / 12'




Section No.	KG / FT
KA-8007	6.150-6.350 / 12'




Section No.	KG/FT
KA-8008	3.2 / 12'




Section No.	KG / FT
KA-8009	6.9 / 12'



Section No.	KG / FT
KA-8010	6.5 / 12'




Section No.	KG / FT
KA-8011	5.8 / 12'




Section No.	KG/FT
KA-8012	6.315/12'

GATE PROFILES


DESIGN & BUILD




Section No.	KG/FT
KA-8013	4.265 / 21'




Section No.	KG/FT
KA-8014	6.1 / 12'




Section No.	KG/FT
KA-8015	4.45 / 12'




Section No.	KG/FT
KA-8016	5.4 / 12'




Section No.	KG / FT
KA-8017	7.4 / 12'



Section No.	KG / FT
KA-8018	8.0 / 12'



Section No.	KG / FT
KA-8019	6.315 / 12'



Section No.	KG/FT
KA-8020	5.29 / 12'




Section No.	KG / FT	T (mm)
KA-8021	4.4 / 12' 5.5 / 12'	1.7 2.5



Section No.	KG / FT
KA-8022	5.35 / 12'





Section No.	KG/FT
KA-8023	6.3 / 12'



Section No.	KG/FT
KA-8024	6.210 - 6.420 / 12'

GATE PROFILES



DESIGN & BUILD



Section No.	KG/FT
KA-8025	6.460-6.680 / 12'

Section No.	KG / FT
KA-8026	1.650-1.860 / 12'




Section No.	KG / FT	T (MM)
KA-8027	3.2 / 12'	???????



Section No.	KG/FT
KA-8028	3.8 / 12'

Section No.	KG / FT
KA-8029	2 / 12'




Section No.	KG / FT
KA-8030	2.100 / 12'



Section No.	KG / FT
KA-8031	6.5 / 12'

Section No.	KG/FT
KA-8032	6 / 12'

Section No.	KG/FT
KA-8033	7.100 / 12'




Section No.	KG/FT
KA-8034	4.3 / 12'

Section No.	KG/FT
KA-8035	2.100 / 12'


Section No.	KG/FT
KA-8036	3.240-3.450 / 12'

GATE PROFILES


DESIGN & BUILD




Section No.	KG / FT
KA-8037	4.000-4.250 / 12'




Section No.	KG / FT
KA-8038	5.400-5.600 / 12'




Section No.	KG / FT
KA-8039	7.700-10.000 / 12'




Section No.	KG / FT
KA-8040	4.140-4.400 / 12'




Section No.	KG / FT
KA-8041	3.650-3.850 / 12'




Section No.	KG / FT
KA-8042	3.310-3.550 / 12'




Section No.	KG / FT
KA-8043	4.200-4.450 / 12'




Section No.	KG / FT
KA-8044	4.680-4.930 / 12'




Section No.	KG / FT
KA-8045	4.850-5.000 / 12'



Section No.	KG / FT
KA-8046	1.800-2.000 / 12'





Section No.	KG / FT
KA-8047	3.100-3.250 / 12'



Section No.	KG / FT
KA-8048	3.220-3.400 / 12'

GATE PROFILES




DESIGN & BUILD



Section No.	KG / FT
KA-8049	2.680-2.850 / 12'

Section No.	KG / FT
KA-8050	3.640-3.850/12'



Section No.	KG/FT
KA-8051	4.800-5.000/ 12'



Section No.	KG / FT
KA-8052	5.660-5.850/ 12'

Section No.	KG / FT
KA-8053	7.140-7.300. / 12'




Section No.	KG / FT
KA-8054	6.390-6.550 / 12'



Section No.	KG/FT
KA-8055	3.190-3.300/12'

Section No.	KG/FT
KA-8056	3.780-3.900 / 12'

Section No.	KG/FT
KA-8057	2.560-2.750 / 12'





Section No.	KG/FT
KA-8058	1.860-2.050 / 12'

Section No.	KG/FT
KA-8059	3.830-4.100 / 12'

Section No.	KG / FT
KA-8060	5.670-5.850 / 12'

GATE PROFILES

DESIGN & BUILD



Section No.	KG / FT
KA-8061	3.080-3.250 / 12'

Section No.	KG / FT
KA-8062	5.070-5.250/12'



Kohli Aluminium

AUTH. STOCKIST: HINDALCO EXTRUSIONS LTD.

Deals in: All kinds of Aluminium Sections, Sheet, Coils Foils, Chequered Plates Etc.

Plot No. 7, Lower Ground Floor, D. B. Gupta Road, Near Hotel Revels, Paharganj, New Delhi - 110055
Email: aluminium.kohli@gmail.com | www.kohlialuminum.in

